




Nylon Machine Screws - Pan Slot

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length																									
08-PNS2-04PS	M2	4	08-PNS4-20PS	M4	20	08-PNS10-13PS	M10	13																									
08-PNS2-05PS	M2	5	08-PNS4-25PS	M4	25	08-PNS10-30PS	M10	30																									
08-PNS2-06PS	M2	6	08-PNS4-30PS	M4	30	08-PNS10-50PS	M10	50																									
08-PNS2-10PS	M2	10	08-PNS4-35PS	M4	35	Material: Nylon 6/6 * = Available in black Thread sizes are in millimetres More sizes available For non-stocked black washers, enquire about our in-house dye service. <table><thead><tr><th>Thread Size</th><th>A</th><th>H</th></tr></thead><tbody><tr><td>M2 x 0.4</td><td>3.8</td><td>1.2</td></tr><tr><td>M2.5 x 0.45</td><td>4.8</td><td>1.4</td></tr><tr><td>M3 x 0.5</td><td>5.5</td><td>1.7</td></tr><tr><td>M4 x 0.7</td><td>7.7</td><td>2.3</td></tr><tr><td>M5 x 0.8</td><td>9.4</td><td>2.8</td></tr><tr><td>M6 x 1.0</td><td>11.7</td><td>3.4</td></tr><tr><td>M8 x 1.25</td><td>16</td><td>4.7</td></tr><tr><td>M10 x 1.5</td><td>19</td><td>6</td></tr></tbody></table> 	Thread Size	A	H	M2 x 0.4	3.8	1.2	M2.5 x 0.45	4.8	1.4	M3 x 0.5	5.5	1.7	M4 x 0.7	7.7	2.3	M5 x 0.8	9.4	2.8	M6 x 1.0	11.7	3.4	M8 x 1.25	16	4.7	M10 x 1.5	19	6
Thread Size	A	H																															
M2 x 0.4	3.8	1.2																															
M2.5 x 0.45	4.8	1.4																															
M3 x 0.5	5.5	1.7																															
M4 x 0.7	7.7	2.3																															
M5 x 0.8	9.4	2.8																															
M6 x 1.0	11.7	3.4																															
M8 x 1.25	16	4.7																															
M10 x 1.5	19	6																															
08-PNS2-20PS	M2	20	08-PNS4-40PS	M4	40																												
08-PNS2-25PS	M2	25	08-PNS5-08PSV*	M5	8																												
08-PNS2.5-04PS	M2.5	4	08-PNS5-10PS*	M5	10																												
08-PNS2.5-05PS	M2.5	5	08-PNS5-12PS*	M5	12																												
08-PNS2.5-06PS	M2.5	6	08-PNS5-16PS*	M5	16																												
08-PNS2.5-10PS	M2.5	10	08-PNS5-20PSV*	M5	20																												
08-PNS2.5-12PS	M2.5	12	08-PNS5-25PSV*	M5	25																												
08-PNS2.5-20PSV	M2.5	20	08-PNS5-30PS	M5	30																												
08-PNS3-05PSV	M3	5	08-PNS5-40PS	M5	40																												
08-PNS3-06PSV*	M3	6	08-PNS6-12PS	M6	12																												
08-PNS3-10PS	M3	10	08-PNS6-16PS	M6	16																												
08-PNS3-12PS	M3	12	08-PNS6-20PS	M6	20																												
08-PNS3-16PS	M3	16	08-PNS6-25PS	M6	25																												
08-PNS3-20PS	M3	20	08-PNS6-30PS	M6	30																												
08-PNS3-25PS	M3	25	08-PNS8-16PS	M8	16																												
08-PNS3-30PS	M3	30	08-PNS8-20PS	M8	20																												
08-PNS3-35PS	M3	35	08-PNS8-30PS	M8	30																												
08-PNS3-42PS	M3	42	08-PNS8-50PS	M8	50																												
08-PNS4-06PS	M4	6																															
08-PNS4-08PS	M4	8																															
08-PNS4-10PS	M4	10																															
08-PNS4-12PS	M4	12																															
08-PNS4-16PSV	M4	16																															



Pan Slot

Material: Nylon 6/6

*** = Available in black**

Thread sizes are in millimetres



More sizes available

For non-stocked black

washers, enquire about our in-house dye service.

Nylon Machine Screws - Cheese Slot

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length	Material: Nylon 6/6 * = Available in black Thread sizes are in millimetres More sizes available	 Cheese Slot																											
08-PNS2-10CH	M2	10	08-PNS5-20CH	M5	20																													
08-PNS2-12CH	M2	12	08-PNS5-25CHV	M5	25																													
08-PNS2-16CH	M2	16	08-PNS5-35CH	M5	35																													
08-PNS2.5-12CH	M2.5	12	08-PNS5-40CHV	M5	40																													
08-PNS2.5-20CH	M2.5	20	08-PNS6-08CH	M6	8																													
08-PNS3-06CH*	M3	6	08-PNS6-10CH	M6	10																													
08-PNS3-08CH	M3	8	08-PNS6-12CH	M6	12																													
08-PNS3-12CH	M3	12	08-PNS6-16CH	M6	16																													
08-PNS3-20CH	M3	20	08-PNS6-20CH	M6	20																													
08-PNS3-25CH	M3	25	08-PNS6-25CH	M6	25		<table><thead><tr><th>Thread Size</th><th>A</th><th>H</th></tr></thead><tbody><tr><td>M2 x 0.4</td><td>3.8</td><td>1.3</td></tr><tr><td>M2.5 x 0.45</td><td>4.5</td><td>1.6</td></tr><tr><td>M3 x 0.5</td><td>5.5</td><td>2</td></tr><tr><td>M4 x 0.7</td><td>7</td><td>2.6</td></tr><tr><td>M5 x 0.8</td><td>8.5</td><td>3.3</td></tr><tr><td>M6 x 1.0</td><td>10</td><td>3.9</td></tr><tr><td>M8 x 1.25</td><td>13</td><td>5</td></tr><tr><td>M10 x 1.5</td><td>15.6</td><td>6</td></tr></tbody></table>	Thread Size	A	H	M2 x 0.4	3.8	1.3	M2.5 x 0.45	4.5	1.6	M3 x 0.5	5.5	2	M4 x 0.7	7	2.6	M5 x 0.8	8.5	3.3	M6 x 1.0	10	3.9	M8 x 1.25	13	5	M10 x 1.5	15.6	6
Thread Size	A	H																																
M2 x 0.4	3.8	1.3																																
M2.5 x 0.45	4.5	1.6																																
M3 x 0.5	5.5	2																																
M4 x 0.7	7	2.6																																
M5 x 0.8	8.5	3.3																																
M6 x 1.0	10	3.9																																
M8 x 1.25	13	5																																
M10 x 1.5	15.6	6																																
08-PNS4-06CH	M4	6	08-PNS6-35CH	M6	35																													
08-PNS4-08CH*	M4	8	08-PNS6-40CH	M6	40																													
08-PNS4-10CH	M4	10	08-PNS6-50CH	M6	50																													
08-PNS4-12CH	M4	12	08-PNS8-16CH	M8	16																													
08-PNS4-16CH	M4	16	08-PNS8-20CH	M8	20																													
08-PNS4-20CH	M4	20	08-PNS8-25CH	M8	25																													
08-PNS4-25CH	M4	25	08-PNS8-30CH	M8	30																													
08-PNS5-06CH	M5	6	08-PNS8-35CH	M8	35																													
08-PNS5-10CH	M5	10	08-PNS10-35CH	M10	35																													
08-PNS5-12CH	M5	12																																
08-PNS5-16CH	M5	16																																

Material: Nylon 6/6

*** = Available in black**

Thread sizes are in millimetres

More sizes available

Nylon Machine Screws - Pan Phillips

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length
08-PNS2-04PP	M2	4	08-PNS4-20PP	M4	20
08-PNS2-08PP	M2	8	08-PNS4-25PP	M4	25
08-PNS2-16PP	M2	16	08-PNS4-30PP*	M4	30
08-PNS2.5-04PP	M2.5	4	08-PNS5-10PP	M5	10
08-PNS2.5-06PP	M2.5	6	08-PNS5-12PPV	M5	12
08-PNS2.5-08PP	M2.5	8	08-PNS5-16PP*	M5	16
08-PNS2.5-10PP	M2.5	10	08-PNS5-25PP	M5	25
08-PNS2.5-12PP	M2.5	12	08-PNS5-30PP	M5	30
08-PNS2.5-16PP	M2.5	16	08-PNS5-40PP	M5	40
08-PNS2.5-20PP	M2.5	20	08-PNS6-10PP	M6	10
08-PNS3-04PP	M3	4	08-PNS6-12PPV	M6	12
08-PNS3-05PPV	M3	5	08-PNS6-20PPV	M6	20
08-PNS3-06PPV*	M3	6	08-PNS6-30PP	M6	30
08-PNS3-08PPV	M3	8	08-PNS6-40PP	M6	40
08-PNS3-10PP	M3	10	08-PNS8-25PP	M8	25
08-PNS3-12PP	M3	12	08-PNS8-50PP	M8	50
08-PNS3-16PP	M3	16	08-PNS10-13PP	M10	13
08-PNS3-20PP	M3	20	08-PNS10-25PP	M10	25
08-PNS3-25PP	M3	25	08-PNS10-35PP	M10	35
08-PNS3-35PP	M3	35	08-PNS10-50PP	M10	50
08-PNS4-06PP	M4	6			
08-PNS4-08PP	M4	8			
08-PNS4-10PPV*	M4	10			
08-PNS4-12PPV*	M4	12			
08-PNS4-16PPV*	M4	16			





Material: Nylon 6/6

* = Available in black

Thread sizes are in millimetres

More sizes available

Pan
Phillips




Thread Size	A	H
M2 x 0.4	3.8	1.5
M2.5 x 0.45	4.8	2
M3 x 0.5	5.4	2.3
M4 x 0.7	7	2.4
M5 x 0.8	9.3	3.5
M6 x 1.0	11.5	4.5
M8 x 1.25	16	5.7
M10 x 1.5	20	7.3

Nylon Machine Screws - Countersunk

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length
08-PNS2-04CS	M2	4	08-PNS4-30CS	M4	30
08-PNS2-05CS	M2	5	08-PNS4-35CS*	M4	35
08-PNS2-10CS	M2	10	08-PNS5-10CS*	M5	10
08-PNS2-20CS	M2	20	08-PNS5-16CS*	M5	16
08-PNS2.5-06CS	M2.5	6	08-PNS5-20CS	M5	20
08-PNS2.5-12CS	M2.5	12	08-PNS5-25CS	M5	25
08-PNS2.5-20CS	M2.5	20	08-PNS5-30CS	M5	30
08-PNS3-04CS	M3	4	08-PNS5-40CS	M5	40
08-PNS3-06CS	M3	6	08-PNS6-10CS	M6	10
08-PNS3-08CS	M3	8	08-PNS6-12CS	M6	12
08-PNS3-10CS	M3	10	08-PNS6-20CS	M6	20
08-PNS3-12CS	M3	12	08-PNS6-25CS	M6	25
08-PNS3-16CS	M3	16	08-PNS6-35CS	M6	35
08-PNS3-20CS	M3	20	08-PNS6-40CS	M6	40
08-PNS3-25CS	M3	25	08-PNS6-50CS	M6	50
08-PNS3-30CS	M3	30	08-PNS8-16CS	M8	16
08-PNS3-42CS	M3	42	08-PNS8-25CS	M8	25
08-PNS4-06CS	M4	6	08-PNS8-30CS	M8	30
08-PNS4-08CS	M4	8	08-PNS8-35CS	M8	35
08-PNS4-10CS	M4	10	08-PNS8-50CS*	M8	50
08-PNS4-12CS*	M4	12	08-PNS10-20CS	M10	20
08-PNS4-16CS	M4	16	08-PNS10-30CS	M10	30
08-PNS4-20CS	M4	20	08-PNS10-35CS	M10	35
08-PNS4-25CS	M4	25	08-PNS10-60CS	M10	60




Material: Nylon 6/6

* = Available in black

Thread sizes are in millimetres

More sizes available

Countersunk
Slot



Thread Size	A	H
M2 x 0.4	4	1.2
M2.5 x 0.45	5	1.5
M3 x 0.5	6	1.7
M4 x 0.7	9	2.7
M5 x 0.8	10	2.7
M6 x 1.0	11	3.3
M8 x 1.25	16	4.6
M10 x 1.5	1.9	5

Nylon Machine Screws - Countersunk Phillips

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Overall length	Part Number	Thread Size	Overall Length
08-PNS3-06CP*	M3	6	08-PNS4-25CP	M4	25
08-PNS3-08CP	M3	8	08-PNS5-10CP	M5	10
08-PNS3-10CP	M3	10	08-PNS5-12CP*	M5	12
08-PNS3-12CP	M3	12	08-PNS5-16CP	M5	16
08-PNS3-16CP	M3	16	08-PNS6-16CP	M6	16
08-PNS3-20CP	M3	20	08-PNS8-16CP	M8	16
08-PNS4-10CP	M4	10	08-PNS8-25CP	M8	25
08-PNS4-12CP	M4	12	08-PNS8-30CP	M8	30
08-PNS4-16CP*	M4	16	08-PNS8-50CP	M8	50
08-PNS4-20CP	M4	20	08-PNS10-20CP	M10	20


Material: Nylon 6/6

* = Available in black

Thread sizes are in millimetres
More sizes available



Countersunk Phillips



Thread Size	A	H
M3 x 0.5	6	1.7
M4 x 0.7	9	2.7
M5 x 0.8	9	2.7
M6 x 1.0	11	3.3
M8 x 1.25	16	4
M10 x 1.5	18	5

Nylon Machine Screws - Hex Head

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length
08-PNS5-10HX	M5	10	08-PNS8-70HX	M8	70
08-PNS5-12HXV	M5	12	08-PNS8-80HX	M8	80
08-PNS5-25HX	M5	25	08-PNS10-16HX	M10	16
08-PNS5-70HX	M5	70	08-PNS10-25HX	M10	25
08-PNS6-10HX	M6	10	08-PNS10-30HX	M10	30
08-PNS6-20HXV	M6	20	08-PNS10-35HX	M10	35
08-PNS6-25HXV	M6	25	08-PNS10-50HX	M10	50
08-PNS6-30HXV	M6	30	08-PNS10-60HX	M10	60
08-PNS6-35HX	M6	35	08-PNS10-70HXM	M10	70
08-PNS6-45HX	M6	45	08-PNS10-80HXM	M10	80
08-PNS6-60HX	M6	60	08-PNS12-12HX	M12	12
08-PNS8-16HX*	M8	16	08-PNS12-25HX	M12	25
08-PNS8-20HX*	M8	20	08-PNS12-40HX	M12	40
08-PNS8-25HXV	M8	25	08-PNS12-50HX	M12	50
08-PNS8-30HX	M8	30			
08-PNS8-50HX	M8	50			


Material: Nylon 6/6

* = Available in black

Thread sizes are in millimetres
More sizes available



Hexagonal



Thread Size	A	H	W
M5 x 0.8	7.9	3.4	8.7
M6 x 1.0	9	4.5	11.0
M8 x 1.25	13	5.5	14.3
M10 x 1.5	16	7	17.7
M12 x 1.75	18	8	19.9



Nylon Machine Screws - Slotted Hex

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length
08-PNS5-10HS	M5	10
08-PNS5-16HS	M5	16
08-PNS5-25HS	M5	25
08-PNS5-30HS	M5	30
08-PNS5-40HS	M5	40
08-PNS6-30HS	M6	30
08-PNS6-75HS	M6	75
08-PNS8-20HS	M8	20
08-PNS10-35HS	M10	35

Material: Nylon 6/6

Thread sizes are in millimetres
More sizes available



Slotted Hex


Thread Size	A	W	H
M5 x 0.8	7.9	8.7	3.5
M6 x 1.0	10	10.9	4.5
M8 x 1.25	13	14.3	5.5
M10 x 1.5	16	17	7

Nylon Machine Screws - Thumb Slot


Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length
08-PNS3-06TS	M3	6	08-PNS6-16TS	M6	16
08-PNS3-10TS	M3	10	08-PNS6-20TS	M6	20
08-PNS3-16TS*	M3	16	08-PNS6-25TSV*	M6	25
08-PNS4-06TS*	M4	6	08-PNS6-45TS	M6	45
08-PNS4-10TS	M4	10			
08-PNS4-20TS	M4	20			
08-PNS5-10TS*	M5	10			
08-PNS5-12TS*	M5	12			
08-PNS5-16TS	M5	16			
08-PNS5-20TS	M5	20			
08-PNS6-10TS	M6	10			

Material: Nylon 6/6
 * = Available in black
 Thread sizes are in millimetres
 More sizes available



Thumb Slot



Thread Size	H	A
M3 x 0.5	5.5	8
M4 x 0.7	7	9.7
M5 x 0.8	7.7	10
M6 x 1.0	7.7	12

Nylon Machine Screws - Grub Slot


Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length	Part Number	Thread Size	Thread Length
08-PNS4-03GS	M4	3	08-PNS6-05GS	M6	5	08-PNS10-25GS	M10	25
08-PNS4-04GS	M4	4	08-PNS6-08GS	M6	8	08-PNS10-30GS	M10	30
08-PNS4-06GSV	M4	6	08-PNS6-10GS	M6	10	08-PNS10-50GS	M10	50
08-PNS4-08GS	M4	8	08-PNS6-12GS	M6	12	08-PNS10-60GS	M10	60
08-PNS4-10GS	M4	10	08-PNS6-16GS	M6	16	08-PNS12-20GSM	M12	20
08-PNS4-12GS	M4	12	08-PNS6-20GS	M6	20			
08-PNS4-16GS	M4	16	08-PNS6-25GS	M6	25			
08-PNS4-20GS	M4	20	08-PNS6-45GS	M6	45			
08-PNS4-25GS	M4	25	08-PNS6-75GS	M6	75			
08-PNS4-30GS	M4	30	08-PNS8-08GS	M8	8			
08-PNS4-35GS	M4	35	08-PNS8-10GS	M8	10			
08-PNS4-40GS	M4	40	08-PNS8-16GS	M8	16			
08-PNS5-06GS	M5	6	08-PNS8-20GS	M8	20			
08-PNS5-08GS	M5	8	08-PNS8-25GS	M8	25			
08-PNS5-10GS	M5	10	08-PNS8-30GS	M8	30			
08-PNS5-12GS	M5	12	08-PNS8-35GS	M8	35			
08-PNS5-16GS	M5	16	08-PNS8-50GS	M8	50			
08-PNS5-20GS	M5	20	08-PNS10-10GS	M10	10			
08-PNS5-25GS	M5	25	08-PNS10-13GS	M10	13			
08-PNS5-30GS	M5	30	08-PNS10-16GS	M10	16			
08-PNS5-40GS	M5	40	08-PNS10-20GS	M10	20			

Material: Nylon 6/6
 Thread sizes are in millimetres
 More sizes available



Grub Slot





Thread Size	A	J	T
M4 x 0.7	2	0.6	0.7
M5 x 0.8	3.3	0.9	1.3
M6 x 1.0	4.1	1	1.5
M8 x 1.25	5.1	1.6	2.2
M10 x 1.5	6.6	1.5	2.2
M12 x 1.75	8.4	1.8	2.6

Nylon Machine Screws - Socket Hex / Socket Head Cap

Hi-Q Nylon screws are tough, light, durable and corrosion resistant in normal temperatures

Part Number	Thread Size	Thread Length
08-PNS8-25SHCM	M8	25
08-PNS8-50SHCM	M8	50
08-PNS10-13SCH	M10	13
08-PNS10-25SCH	M10	25
08-PNS10-30SCH	M10	30
08-PNS10-35SCH	M10	35
08-PNS10-50SCH	M10	50

Material: Nylon 6/6
 Thread sizes are in millimetres
 More sizes available



Hex Socket

Thread Size	A	J	T
M8 x 1.25	13	6	8
M10 x 1.5	16	8	9.9