



Round Threaded Tube Ends - Brass Inserts

Reinforced Polyamide, Black Colour with Brass Insert

* Max Static Load


Part Number	D	Wall Thickness	D2	d	H	L	Kg*
11-NPRD30B8T	30	1	28	M8	6	31	450
11-NPRD30B10T	30	1	28	M10	6	31	500
11-NPRD30B12T	30	1	28	M12	6	31	550
11-NPRD30B14T	30	1	28	M14	6	31	600
11-NPRD30B16T	30	1	28	M16	6	31	650
11-NPRD38B10T	38	1.5	35	M10	8	38	500
11-NPRD38B12T	38	1.5	35	M12	8	38	550
11-NPRD38B14T	38	1.5	35	M14	8	38	600
11-NPRD38B16T	38	1.5	35	M16	8	38	650
11-NPRD42B10T	42.4	1.5	39.4	M10	8	38	700
11-NPRD42B12T	42.4	1.5	39.4	M12	8	38	750
11-NPRD42B14T	42.4	1.5	39.4	M14	8	38	800
11-NPRD42B16T	42.4	1.5	39.4	M16	8	38	850
11-NPRD42B20T	42.4	1.5	39.4	M20	8	38	900
11-NPRD48B12T	48.3	1.5	45.3	M12	10	45	800
11-NPRD48B14T	48.3	1.5	45.3	M14	10	45	850
11-NPRD48B16T	48.3	1.5	45.3	M16	10	45	900
11-NPRD48B20T	48.3	1.5	45.3	M20	10	45	950
11-NPRD60B10/1T	60.3	2	56.3	M10	12	52	750
11-NPRD60B12/1T	60.3	2	56.3	M12	12	52	800
11-NPRD60B14/1T	60.3	2	56.3	M14	12	52	850
11-NPRD60B16/1T	60.3	2	56.3	M16	12	52	900
11-NPRD60B20/1T	60.3	2	56.3	M20	12	52	950
11-NPRD60B24/1T	60.3	2	56.3	M24	12	52	1000
11-NPRD60B10/2T	60.3	2.5	55.3	M10	12	52	750
11-NPRD60B12/2T	60.3	2.5	55.3	M12	12	52	800
11-NPRD60B14/2T	60.3	2.5	55.3	M14	12	52	850
11-NPRD60B16/2T	60.3	2.5	55.3	M16	12	52	900
11-NPRD60B20/2T	60.3	2.5	55.3	M20	12	52	950
11-NPRD60B24/2T	60.3	2.5	55.3	M24	12	52	1000



Round Threaded Tube Ends - Nickel Brass

Reinforced black Polyamide, with Nickel Brass Insert


Part Number	D	Wall Thickness mm	Thread Size	D1	H	H1	Static Load Newton
11-NPRD30B10	30	1	M10	28.5	6	35	3200
11-NPRD30B12	30	1	M12	28.5	6	35	3200
11-NPRD48B10	48	1.5	M10	45.5	11	49	8000
11-NPRD48B12	48	1.5	M12	45.5	11	49	8000
11-NPRD50B12	50	1.5	M12	47.5	11	49	8500
11-NPRD50B16	50	1.5	M16	47.5	11	49	8500
11-NPRD50B20	50	1.5	M20	47.5	11	49	8500



Square Threaded Tube Ends - Nickel Brass Inserts

Reinforced Polyamide, Black Colour with Nickel Brass Insert




Part Number	Q	Wall Thickness mm	Thread Size	Q1	H	H1	Static Load Newton
11-NPSQ30B10	30	1.5	M10	27.5	6	33	5500
11-NPSQ30B12	30	1.5	M12	27.5	6	33	5500
11-NPSQ40B10	40	2	M10	36.5	8	43	8000
11-NPSQ40B12	40	2	M12	36.5	8	43	8000
11-NPSQ50B12	50	2.5	M12	45.5	10	55	9500
11-NPSQ50B16	50	2.5	M16	45.5	10	55	9500



Martin Square Threaded Tube Ends - Moulded

Black Polyamide, with Moulded Thread

Part Number	External Square Q	H	H1	Screw F
11-NPSQ25M10	25x25	5	19	M10
11-NPSQ30M10	30x30	6	20	M10
11-NPSQ35M10	35x35	6	21	M10
11-NPSQ40M10	40x40	6	22	M10
11-NPSQ50M10	50x50	7	30	M10



Round Threaded Tube Ends - Moulded

Black Polyamide, with Moulded Thread

Part Number	External Round D	H	H1	Screw F
11-NPRD25M10	25	6	19	M10
11-NPRD30M10	30	6	19	M10
11-NPRD35M10	35	6	20	M10
11-NPRD40M10	40	6	20	M10
11-NPRD50M10	50	6	21	M10

